


INFORMATION CONTAINED WITHIN THIS ROSNOL RF/MICROWAVE TECHNOLOGY CORP. DOCUMENT IS CONSIDERED PROPRIETARY AND IS THE PROPERTY OF ROSNOL RF/MICROWAVE TECHNOLOGY CORP.

SPECIFICATION CONTROL DRAWING

REVISION			
REV.	DESCRIPTION	DATE	APPROVED
-	INITIAL RELEASE	FEB/26/2026	

Rosnol P/N		Length (mm)
N1C50-RNL400-N1C50-1000A/8G		1000
Frequency	VSWR Max.	Insertion Loss Max. (dB)
8 GHz	1.25	$\leq 0.00043 \text{ (dB/mm)} * L \text{ (mm)} + 0.15 * \sqrt{f}$



CUSTOMER'S APPROVAL

Department or company's stamp

Name:

Date:

Copy and send back to ROSNOL CORPORATION BEFORE:

NOTES:

- CONNECTORS ASSEMBLED PER MANUFACTURERS INSTRUCTIONS.
- MARKING DETAILS IF NOT SPECIAL MARKING TEXT:
ROSNOL DC-8 GHz
N1C50-RNL400-N1C50-1000A/8G
WW/YY SERIAL NUMBER
- ALL DIMENSIONS ARE IN MM ; LENGTH TOLERANCES :
 $\pm 3 \text{ mm}$ FOR $L \leq 300 \text{ mm}$; $\pm 1\%$ FOR $L > 300 \text{ mm}$

4	LABEL HEAT SHRINK TUBE	HST-W-D15-125C	1	EA	DIMENSION ARE IN MM [INCH]	CUSTOMER	REV	UNIT	
3	HEAT SHRINK TUBE	HST-B-D20-125C	2X 50	mm	TOLERANCES DECIMALS .X ± 6.35 [.250"] .XX ± 3.18 [.125"] .XXX ± 1.52 [.060"] DEGREES X° $\pm 1^\circ$	-	-	mm [inch]	
2	CABLE	ROSNOL RNL-400 Cable	1000	mm		APPROVED	DATE		
1	N CRIMP PLUG	N1C50-EZR400A/H44	2	EA		DRAWN	DATE		
NO.	DESCRIPTION	PARTS NO.	QTY.	U/M					

ROSNOL 

RF/Microwave Technology
www.rosnol.com
info@rosnol.com
N-CAGE Code: SFKK0

TITLE
N Plug (Male) to N Plug (Male)
1 Meter Cable Assembly for RNL-400 Cable

DRAWING NO.
N1C50-RNL400-N1C50-1000A/8G